PRNC-APWO 11345/2 (10-64)

(10 be reproduced as required)

engmc-d(ot) 577

ENG FORM 3706 (OT)

	7 63		
	WATER AND SEWERAGE FACILITIE		
Sam (As	ple Survey No. //// shown on List of Buildings)	Date prepared 18	OCT. 196
	SECTION A FACILITY IDENTI (Use latest NFSS or Updating S	urvey Data)	
1.	Name of facility WIRE BUILDIN	IG	
	1000 VERMONT	AVE. N.W.	
3.	22110054 BC NO. /	art, if approp.)	ise <u>FL</u>
	SECTION B SHELTER SPACES I (Use latest NFSS or Updating S	urvey Data)	
1.	Number of existing PV Category 2-8 shelter spa	ces 84	
2.	Number of improvable ("Added") shelter spaces		
	SECTION C WATER AVAILABLE I		
	(Enter for each of the systems liste water available in the same building These quantities are to exclude any in CD drums as part of the fallout s	water presently at	
1.	Normal Supplies (Including Plumbing System, On	ıly):	
	Source	Col.(1)	Col.(2) Non-Potable
	a. Piping (hot and cold water supply)	companies and antique to the contract of the c	
	b. Storage Tanks		
•	g. Hot Water Tanks	850	
	d. Toilet and Urinel Tanks		
	e. Indoor Pools and Fountains	and the second s	
	f. Other		
	g. TOTAL (Gallons)	850	0

### SECTION ( (Con't)

## 2. Heating and Air Conderioning Systems:

Source	Potable Non-Potable
a. Heating System*	
(1) Piping and Radiators	1085
(2) Boilers and Tanks	1010
(3) Other	
b. Air Conditioning Systems	
(1) Piping and Coils	7.5
(2) Tanks and Cooling Equipment	75
(3) Other	- programmy districts on the configuration of the c
e. TOTAL (Gallons)  *If totals are readily available, individual breakdowns within a and b are not required.	0 2170
3. Fire Protection System:	80
a. Piping	en elektron en elektron en elektron ele
b. Storage	us amenteumen tennet enteksingsvellerings regene volunssagsum till dans velksaltningsrelleringsferlikning
c. TOTAL (Gallons)	0 80
4. TOTAL (C1, C2, and C3, above) Gallons	850 2250
5. Wells, if available, rated gal/min:	0 0.
Remarks: (Source of data; type of coctaminant description of well or spring including pump, other pertinent items).	t, if readily available; brief, power, and estimated reliability
. 8	

#### SECTION D - COST ESTIMATES

(Enter cost estimates for making available to shelterees the total quantities of potable and non-potable water shown in Columns (1) and (2) of Section C. Estimates are for planning purposes, only, and will be based upon the best on-site information readily available. Include under "Remarks" a brief description of modifications and major features contributing to the costs. If desired, a simple sketch may be attached)

	Source	Cost in Do
a. Not	mal Supplies:	\$
Ren	arks:	
The state of the s		
b. Heat	ing and Air Conditioning Systems:	\$
Rema	TKS:	
	and first committee of the second out to section in the second court construction in a new construction of the second court of	
c. Fire	Protection System:	\$
ACHM		and regularized the destruction of a transfer of the second section of the section of the second section of the section of the second section of the section of
	taman karan kanan ka V	
d. TOTAL	(a + b + c, above):	\$ 0
		Transcription comment of the original production and the comments of the comme
capac	(enter cost to make available the ity shown in Section C5. An auxiliary	
power	source must be included if normal is obtained from external sources. The	e .
	requirement for emergency power for water supply is a departure from the "power on" assumption used during the NFSS.)	
		\$ 0
Remar		house was the same and the same
Kemar	A B 5	

# SECTION D (Con't)

2.	Non-Potable Water:  (Enter costs to make available the quantities of non-potable water shown in Section C. Treatment to make water potable will not be considered.)				
		Source		Cost in Doll	lars
	a.	Normal Supplies:		\$	
		Remarks:			Y
	b.	Heating and Air Conditioning Systems:		\$	
		Remarks:			
	c.	Fire Protection System:		\$	_
		Remarks:			
					_
					-
			\$	0	7
•	d.	TOTAL (a + b + c, above):	Ľ	0	_
	е.	ponor 20 occurred as an arrange	y The		
		requirement for emergency power for water supply is a departure from the "power on" assumption used during the NFSS.)	\$	0	
		Remarks:			_
					_

# SECTION B - SEWERAGE SYSTEMS (Section E will be completed only when quantities are shown in the "Potable" column in Section C)

1.	Estimated sewage quantity:	84 Gal/day	
	(Use 1 gal/day/space for the number of shelter Note: This figure is assumed for the purposes includes an allowance for flushing).	spaces shown in Item B-1. of this survey only, and	
2.	Estimated capacity of sewer main(s) from building:	1,064,000 Gal/day	
	(Include existing sanitary, storm and/or other by gravity flow, only. Do not include flow fr in building unless stand-by power is available	om a sewage lift station	
3.	Water closets available to shelters:	52 Units	
	(Include all water closets within or accessible the building without direct exposure of person	e to the shelter areas in nel to radiation).	
4.	Estimated modification costs:	\$ 0	
	(Modifications will be considered only when entry in Item 2 is less than Item 1, above; or when shelter area(s) have no access to a gravity sewer or storm drain without direct exposure of personnel to radiation. Include modifications, such as the addition of a "wye" or "tee" for access into the line. Do not include items such as major extensions to or re-routing of existing lines, or addition of pumps or power for pumping. Cost estimates are for planning purposes, only and will be based upon the best on-site information readily available. If desired, a simple sketch may be attached).		
	Remarks: (Include brief description of propos statement as to remaining deficiency, if any, Item 1, above).	ed modifications and to meet requirement in	